

TenoBaleCompressor®

- Wide stretch range For easy and reliable operation in the field
- Lower cost per bale 10-30% higher output per reel in comparison to other brands
- Reel edge protection with the one piece packaging for easy handling
- Independent tests prove increased silage quality*
- Heavy duty baling World class tear resistance when you need it (patented)



PRODUCT DATA		
Dimensions	Stretch in machine*	Specific benefits
1280 mm x 0.016 mm x 2400 m	15-20%	Covers the bale edge to edge, efficient in both stationary and mobile balers. 25% increased output compared to other brands for your convenience.
1400 mm x 0.016 mm x 2200 m	18-30%	World class mobile baling demands the best product. Cover edge depending on field conditions. Superior output with 20% increased output compared to other brands.
1400 mm x 0.020 mm x 1800 m	25-35%	When you want the best product for heavy duty baling. 10% increased output compared to other brands.
Colour	Reels/pallet	
Tinted white	16 reels/pallet	
*Stretch levels for each products can be found on the reel label		



TenoBaleCompressor - Tested with improved silage quality

For many years now we have done silage tests in cooperation with the Swedish University of Agricultural Sciences (SLU). Among others, tests were done with different combinations of stretch film layers on bales made with net replacement film and compared to bales done with net. The Study concluded that replacing net with net replacement film results in better airtightness, better shaped bales and less mould. However, reducing the number of stretch film to 4 layers is not recommended.

REASONS FOR USING NET REPLACEMENT FILM

- Easier bale handling with compact bales
- Extra puncture resistance during wrapping
- Extra film on the mantle area less mould
- Net replacement film and bale wrap can be sorted in the same recycling fraction
- Enables efficient use with bale opener
- Less work to open frozen silage bales during winter

^{*}Test by Swedish University of Agricultural Sciences (SLU) 2015







TenoBaleCompressor® & Tenospin plus®

The perfect combo!

With our PreTech products you get best conditions for lower cost, high silage quality and efficient daily work when baling.




- Easy bale handling and storage due to superb bale compression
- Efficient baling with fewer reel changes Tenospin plus reel length up to 2600 m
- Perfect seal of the bales due to less wrinkles between film
 layers high silage quality proven by SLU*

Premium one piece product packaging! Edge protection for safe handling

Our patented TenoBaleCompressor sleeve packaging has not only a polyethylene film that protects the surface of the reel, but also a polyethylene foam over the reel edges protecting the reel from handling damages which often lead to start-up problems during wrapping.

This unique one piece construction of the packaging means that when opening the packaging, all components are together in one piece. This solution saves time and also simplifies collecting for recycling!

The sleeve packaging is made of 100% polyethylene which makes it recyclable in the same fraction as the bale wrap!



Efficient & sustainable silage making

We know the hazards and challenges of the harvest season and we can support you with our many years of experience.

If you need help, our silage experts and technical support team is there to support you to improve your yield, efficiency and sustainability in your silage making - all over the world.

Find out more on tenospin.com



Follow us on Facebook and Instagram

Otenospin







