

teno spin⁺ 1900 RS & 2400 RS

Protects your valuable forage in both round and square bales



21%
reduced
carbon footprint*



Tenospin plus® – Get more with less!

- Optimized for both round and square bales – all sizes!
- Less material usage per bale – Saving both cost and carbon footprint*
- Proven with low silage losses – DM losses down to 1%!**
- PlusTech film - Goes thinner but with same or better performance than 25μ
- More meter per reel – Increased output per day
- 1900 meters with charity colors – Efficiency for a good cause!

*LCA modeled in SimaPro using data from the ecoinvent inventory database.
Reduction in carbon footprint when comparing Tenospin plus 21μ to Tenospin 25μ.
**Test by Swedish University of Agricultural Sciences (SLU) 2016


High performance & easy wrapping with our PlusTech® technology

The PlusTech technology enables us to produce a multilayer blown film with a quality that has not been reached before. Besides a special Teno-recipe with a blend of a high number of different components, the controlled temperatures during the process are a centerpiece in our production.



Your Benefits with PlusTech

- Optimized wrapping and ensiling properties
- No compromising on fodder quality
- Less environmental impact
- Best, economical silage



The Tenospin plus benefits and unique support


Our support:

- General questions regarding baled silage making
- Recommendations in maintenance of bale wrappers
- How to increase your efficiency
- Introduction of products in machine
- Guidance in sustainable baling

The benefits:

- Excellent tear strength
- Minimal air permeability
- Smooth bale surface
- Very good adhesion
- Minimized disposal costs due to a thinner and more efficient film
- Higher daily output
- Suitable for all bale and machine types

Lower cost at less time!



Based on: Round bale 1,20 m, 6 layers of film, 55 % overlap, 70 % pre stretch, when comparing 1500 m/25μ film.


Not only tried, but also tested: Our Tenospin plus® 1900 RS & 2400 RS

Since the beginning, our highest priority has been the best fodder quality for your animals. Therefore, our Tenospin plus 1900 RS & 2400 RS films have not only been tried by farmers throughout the world, but have also undergone independent field tests by the Swedish University of Agricultural Sciences (SLU). The study results show that our thinner PlusTech® films have excellent properties and give the same or an even better silage quality when compared to a 25µ premium film. Especially, when it comes to feed losses (DM), Tenospin plus could convince. When usually 3-5% general losses are considered to be normal, those could be reduced to 1% in bales wrapped with Tenospin plus! Find out more about our SLU tests on tenospin.com.



For higher output, always go for best fodder quality!

**OUR
BALEWRAP GUIDE!**
Find the best and most
efficient film for your
wrapper easily online at:
tenospin.com



PRODUCT DATA

Dimensions	Reels/pallet	Color	Advantages
750 mm x 0.021 mm x 1900 m	15	White, eco-green, green*	1900 m film per reel enable you to wrap up to 27% more bales than with 1500 meter reels! Fits in all machines and works for both round & square bales!
750 mm x 0.021mm x 2400 m	16	White, eco-green	2400 m per reel give you the highest efficiency for square bales in the market! Increase your efficiency by 60% compared to 1500 meter reels. Use our balewrap guide for applicable machines.

All products come with premium water protected paper core and 12 months UV-protection

Packaging: 1900 m - Box, sleeve or ontractorwrap packaging solution, 2400 m - Only Contractorwrap packaging solution.

*Charity edition: pink, blue, yellow

Efficient & sustainable silage making

We know the hazards and challenges of the harvest season and we can support you with our many years of experience. If you need help, our silage experts and technical support team is there to support you to improve your yield, efficiency and sustainability in your silage making - all over the world.

Find out more on tenospin.com



Follow us on Facebook and Instagram
@tenospin



Trioworld
Box 143
SE-333 23 Smålandsstenar
+46 371 345 00



APE Europe objective is to improve agri-waste recycling rate by the implementation of national collecting Schemes (NCS) all over Europe.