


# **teno spin**<sup>+</sup> 2100 R / 2600 R

*Protects your valuable forage with highest round bale efficiency*



**25%**  
reduced  
carbon footprint\*

# Tenospin plus® – Get more with less!

- PlusTech film - Goes thinner but with same or better performance than 25µ premium films
- Less material usage per bale - Saving both cost and environment\*
- More meters per reel - Increased output per day
- Proven with low silage losses - DM losses down to 1%!\*\*
- Optimized for highest efficiency in round bales
- Patented prestretched film - Perfect seal of the bales with high silage quality proven by SLU\*\*



\*LCA modeled in SimaPro using data from the ecoinvent inventory database.  
Reduction in carbon footprint when comparing Tenospin plus 19µ to Tenospin 25µ.  
\*\*Test by Swedish University of Agricultural Sciences (SLU) 2016


## High performance & easy wrapping with our PlusTech® technology

The PlusTech technology enables us to produce a multilayer blown film with a quality that has not been reached before. Besides a special Teno-recipe with a blend of a high number of different components, the controlled temperatures during the process are a centerpiece in our production.



### Your benefits with PlusTech®:

- Optimized wrapping and ensiling properties
- No compromising on fodder quality
- Less environmental impact
- Best, economical silage



## The Tenospin plus benefits and unique support


### Our support:

- General questions regarding bale silage making
- How to increase your efficiency
- Recommendations in maintenance of bale wrappers
- Introduction of products in machines
- Guidance in sustainable baling

### The benefits:

- Excellent tear strength
- Minimal air permeability
- Smooth bale surface
- Very good adhesion
- Minimized disposal costs due to a thinner and more efficient film
- Best price performance ratio
- Specially developed for round bales

### Lower cost at less time!



Based on: Round bale 1,20 m, 6 layers of film, 55 % overlap, 70 % pre stretch, when comparing 1500 m/25µ film.

## Not only tried, but also tested: Our Tenospin plus® 2100 R & 2600 R

Since the beginning, our highest priority has been the best fodder quality for your animals. Therefore, our Tenospin plus 2100 R & 2600 R films have not only been tried by farmers throughout the world, but have also undergone independent field tests by the Swedish University of Agricultural Sciences (SLU). The study results show that our thinner PlusTech films have excellent properties and give the same or an even better silage quality when compared to a 25µ premium film. Especially, when it comes to feed losses (DM), Tenospin plus could convince. When usually 3-5% general losses are considered to be normal, those could be reduced to 1% in bales wrapped with Tenospin plus! Find out more about our SLU tests on [tenospin.com](http://tenospin.com).



**For higher output, always go for best fodder quality!**

**OUR  
BALEWRAP GUIDE!**  
Find the best and most  
efficient film for your  
wrapper easily online at:  
[tenospin.com](http://tenospin.com)



### PRODUCT DATA

Dimensions	Reels/pallet	Color	Advantages
730 mm x 0.019 mm x 2100 m	15	white, eco-green	2100 m film per reel enable you to wrap up to 40% more bales than with standard 1500 meter reels! This gives a better reach in the field and a possibility to make more bales with 29% less reel changes.
730 mm x 0.019 mm x 2600 m	16	white, eco-green	2600 m per reel give you the highest efficiency for round bales in the market! Increase your efficiency by 73% compared to 1500 meter reels. Use our product guide for applicable machines.

All products come with premium water protected paper core and 12 months UV-protection

Packaging: 2100 m - Box, 2600 m - Only Contractorwrap® Packaging Solution.

## Efficient & sustainable silage making

We know the hazards and challenges of the harvest season and we can support you with our many years of experience. If you need help, our silage experts and technical support team is there to support you to improve your yield, efficiency and sustainability in your silage making - all over the world.

Find out more on [tenospin.com](https://tenospin.com)



Follow us on Facebook and Instagram  
@tenospin



**Trioworld**  
Box 143  
SE-333 23 Smålandsstenar  
+46 371 345 00



**APE Europe** objective is to improve agri-waste recycling rate by the implementation of national collecting Schemes (NCS) all over Europe.